



Commercial Deutz Diesel Generator 40kVA BFM3T Engine Diesel Generator 50HZ 32kW

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE ISO
- Model Number: DE-DD44
- Minimum Order Quantity: 1*20GP CONTAINER
- Price: USD3000-4000
- Packaging Details: PLASTIC WRAP
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 500 PCS PER MONTH



Product Specification

- Name: Commercial Deutz Diesel Generator
- Cooling System: Water Cooling
- Frequency: 50HZ
- Insulation Class: H
- Noise Level: ≤75dB(A)
- Controller: Smartgen/Deepsea/ComAp
- Phase: Three Phase
- Power: Diesel Generator
- Protection Grade: IP23
- Prime Power: 32kW/40kVA
- Standby Power: 35.2kW/44kVA
- Highlight: **Deutz Diesel Generator 40kVA,
Commercial Deutz Diesel Generator,
Engine Diesel Generator 50HZ**

for more products please visit us on dellentpower.com

Product Description

High **Commercial Deutz 40kVA Generator , BFM3T Engine Diesel Generator ,**
 Light: **CE Deutz 40kva Generator**

.PRODUCT DESCRIPTION

CE Commercial 32kW Deutz 40kVA Generator BFM3T Engine Diesel Generator

Product Introduce:

Deutz engine diesel generator we have all series from rated 20kva to 750kva.

Application fields:

Diesel generator are used in any situation where a reliable backup power source is necessary to maintain continuity of operations.

For example:

Healthcare, Data Centers, Telecommunications, Construction, Manufacturing, Oil and Gas, Military, Residential electricity.

Advantage of our Deutz diesel generator :

Deutz diesel generator have a sturdy housing

Longer lifespan

Lower maintenance costs

Lower noise level

Faster delivery time

Better team service

Higher level technical support.



Product parameters:

Model	DE-DD44
Rated output (KW/KVA)	32kw
Rated voltage (V)	230/400V
Rated current(A)	57.8A
Rated frequency	50Hz
Power factor	0.8 lagging
Noise level dB(a)	70/1m
Excitation	Stamford Brushless self-excitation
Phase Number and connection	3-phase 4-wire system
Diesel Engine	UK, Germany diesel engine, 4 stroke, water cooled
Alternator model	Stamford brushless self-excited, IP23, Class H.
Rated Power (kw/1500rpm)	32kw
Fuel consumption (g/kw*h)	≤238
Cylinder number	4 cylinders
Displacement (L)	3.3
Cooling system	Water cooling
	Altitude≤1000M, Cooling air temperature

Environmental Conditions		-15°C~ 40°C, Relative humidity≤90%
Start Method		12V Electric start
Dimension of set (mm)	L	2280
	W	900
	H	1500
Net weight of set (kg)		1100
Other spare parts (1 piece)		Gallus Air filter element Diesel oil filter element
		Machinery oil Specification Special tool

. Why Choose Us:

Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CERTIFICATE:



. FACTORY INTERIOR:



If you need Deutz generator with other models technical data, kindly contact us for catalogues!



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDE CITY,FUJIAN.CHINA