



33kVA Deutz Diesel Generator Set 3 Phase Soundproof Open Type Standby Power 36kVA

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE ISO
- Model Number: DE-DD41
- Minimum Order Quantity: 1*20GP CONTAINER
- Price: face to face
- Packaging Details: PLASTIC WRAP
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 500 PCS PER MONTH



Product Specification

- Name: 3 Phase Diesel Generator 33kVA
- Cooling System: Water Cooling
- Frequency: 60HZ
- Insulation Class: H
- Controller: Smartgen/Deepsea/ComAp
- Noise Level: ≤75dB(A)
- Phase: Three Phase
- Power: Diesel Generator
- Protection Grade: IP23
- Prime Power: 30kW/37.5kVA
- Standby Power: 33kW/41kVA
- Highlight: **33kVA Deutz Diesel Generator,
Deutz Diesel Generator Set,
3 Phase Diesel Generator 33kVA**

for more products please visit us on dellentpower.com

Product Description

High Commercial Deutz33kVA Generator , BFM3-G2 Engine Diesel Generator ,
Light: CE Deutz 33kva Generator ,60HZ

.PRODUCT DESCRIPTION

33kVA Deutz Diesel Generator Set 3 Phase Soundproof Open Type Standby Power 36kVA

Product Introduce:

Deutz engine diesel generator we have all series from rated 20kva to 750kva.

Application fields:

Diesel generator are used in any situation where a reliable backup power source is necessary to maintain continuity of operations.

For example:

Healthcare,Data Centers,Telecommunications,Construction,Manufacturing,Oil and Gas,Military,Residential electricity.

Advantage of our Deutz diesel generator :

Deutz diesel generator have a sturdy housing

Longer lifespan

Lower maintenance costs

Lower noise level

Faster delivery time

Better team service

Higher level technical support.



Product parameters:

Engine Model		BFM3-G2
No.of Cylinder		4 Cylinder in line
Bore	mm	98
Stroke	mm	105
Displacement	L	3.168
Cooling Fan Air Flow	m3/min	78.66666667
Compress Air Flow	m3/min	3.333333333
Exhaust Gas Flow	m3/min	6.583333333
Exhaust Gas Temperature		530
Lubrication Oil Capacity	L	7.5
Cooling Water Capacity	L	4.8
Starting Voltage	V	12
Engine Max.Output Power	kW	38

Alternator		
Alternator Brand		Stamford

Rate Output	kVA	33
Frequency	Hz	60
Altitude	M	≤1000
Insulation		Class H
Protection Grade		IP23
Alternator for choice	We also have Leroy Somer, Marathon, Mecc Alte and Chinese brand Brushless alternator for your choice.	

. Why Choose Us:

Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CERTIFICATE:



. FACTORY INTERIOR:



If you need Deutz generator with other models technical data, kindly contact us for catalogues!



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDECITY,FUJIAN.CHINA